

Steel fireplace MBM left 10 kW Ø 200 Lift-up Bent glass

MBM/L/BS/G/SG EAN: 5901350031384

BGN 6489

Exceptional care to every detail, excellent technical parameters, precision this are the characteristics of this line of fireplaces.



TECHNICAL DATA

► General

Rated output (kW)	10
Heating power range (kW)	4.5 - 12.5
Heating efficiency (%)	81
Exhaust gas temperature (°C)	235
Material	steel
Fuel type	seasoned hardwood (moisture ≤20%)
Max length of logs (cm)	50
Min outlet grids active field (cm ²)	≥700
Min inlet grids active field (cm ²)	≥500
Glazing type	corner

► Efektywność Energetyczna

Energy class	A
Energy efficiency index (EEI)	106.71
CO emissions (at 13% O ₂)	0.1

► Physical parameters

Weight (kg)	244
Width (cm)	83.7
Height (cm)	126.9
Depth (cm)	54.6
Exhaust outlet diameter (mm)	200

► Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

2) ≤ given in %

Dust emission (mg/Nm ³)	28
--	-----------

▶ Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

