

Steel fireplace NADIA 12 kW Ø 200

NADIA/12 EAN: 5901350065624

BGN 3999

Modern solution for all who care about the ease of use of the fireplace. Hexagonal chamber and excellent combustion parameters are the most important advantages of this model.



TECHNICAL DATA

General

| | |
|--|--|
| Rated output (kW) | 12 |
| Heating power range (kW) | 8.0 - 16 |
| Heating efficiency (%) | 80 |
| Exhaust gas temperature (°C) | 245 |
| Material | steel |
| Fuel type | seasoned hardwood (moisture ≤20%) |
| Max length of logs (cm) | 40 |
| Min outlet grids active field (cm ²) | ≥900 |
| Min inlet grids active field (cm ²) | ≥700 |
| Glazing type | flat |

Efektywność Energetyczna

| | |
|---------------------------------------|--------------|
| Energy class | A |
| Energy efficiency index (EEI) | 105.4 |
| CO emissions (at 13% O ₂) | 0.08 |

Physical parameters

| | |
|------------------------------|--------------|
| Weight (kg) | 149 |
| Width (cm) | 83.4 |
| Height (cm) | 121.1 |
| Depth (cm) | 41.8 |
| Exhaust outlet diameter (mm) | 200 |

Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

2) ≤ given in %

| | |
|--|-----------|
| Dust emission (mg/Nm ³) | 36 |
|--|-----------|

▶ Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

