

Steel fireplace NADIA right 14 kW Ø 200 Lift-up

NADIA/14/P/BS/G EAN: 5901350074701

BGN 6149

Modern solution for all who care about the ease of use of the fireplace. Hexagonal chamber and excellent combustion parameters are the most important advantages of this model.



TECHNICAL DATA

General

Rated output (kW)	14
Heating power range (kW)	6.5 - 17
Heating efficiency (%)	80
Exhaust gas temperature (°C)	245
Material	steel
Fuel type	seasoned hardwood (moisture ≤20%)
Max length of logs (cm)	70
Min outlet grids active field (cm ²)	≥900
Min inlet grids active field (cm ²)	≥700
Glazing type	corner

Efektywność Energetyczna

Energy class	A
Energy efficiency index (EEI)	105.4
CO emissions (at 13% O ₂)	0.09

Physical parameters

Weight (kg)	255
Width (cm)	106.4
Height (cm)	133.6
Depth (cm)	65.9
Exhaust outlet diameter (mm)	200

Certyfikaty/Zgodność

Certifications / Compliance	Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project
-----------------------------	---

2) ≤ given in %

Dust emission
(mg/Nm³)

39

► Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

