

Steel fireplace MB100 14 kW Ø 200 Lift-up

MB100/G EAN: 5901350030844
MB100/G/BLACK EAN: 5902539555196

BGN 6709

Unique care for details, great technical parameters and precision of execution, these kind of features characterize this line of fireplaces. MB 100 it is a fireplace insert with a wide and panoramic front.



TECHNICAL DATA

General

Rated output (kW)	14
Heating power range (kW)	6.0 - 17
Heating efficiency (%)	82
Exhaust gas temperature (°C)	220
Material	steel
Fuel type	seasoned hardwood (moisture ≤20%)
Max length of logs (cm)	50
Min outlet grids active field (cm ²)	≥900
Min inlet grids active field (cm ²)	≥700
Glazing type	flat

Efektywność Energetyczna

Energy class	A+
Energy efficiency index (EEI)	108.01
CO emissions (at 13% O ₂)	0.1

Physical parameters

Weight (kg)	327
Width (cm)	125.4
Height (cm)	129.3
Depth (cm)	51.5
Exhaust outlet diameter (mm)	200

Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

2) ≤ given in %

Dust emission (mg/Nm ³)	27
--	-----------

▶ Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

