

Steel fireplace MBN left 8 kW Ø 200

MBN/L/BS EAN: 5901350080795

BGN 4149

Exceptional care to every detail, excellent technical parameters, precision this are the characteristics of this line of fireplaces.



TECHNICAL DATA

► General

| | |
|--|--|
| Rated output (kW) | 8 |
| Heating power range (kW) | 4.0 - 11 |
| Heating efficiency (%) | 80 |
| Exhaust gas temperature (°C) | 255 |
| Material | steel |
| Fuel type | seasoned hardwood (moisture ≤20%) |
| Max length of logs (cm) | 30 |
| Min outlet grids active field (cm ²) | ≥700 |
| Min inlet grids active field (cm ²) | ≥500 |
| Glazing type | corner |

► Efektywność Energetyczna

| | |
|---------------------------------------|--------------|
| Energy class | A |
| Energy efficiency index (EEI) | 105.4 |
| CO emissions (at 13% O ₂) | 0.1 |

► Physical parameters

| | |
|------------------------------|-------------|
| Weight (kg) | 177 |
| Width (cm) | 59.2 |
| Height (cm) | 116 |
| Depth (cm) | 54.7 |
| Exhaust outlet diameter (mm) | 200 |

► Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

2) ≤ given in %

| | |
|--|-----------|
| Dust emission (mg/Nm ³) | 21 |
|--|-----------|

▶ Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

