

Steel fireplace NADIA 10 kW Ø 200 Lift-up

NADIA/10/G EAN: 5901350064078

BGN 4699

Modern solution for all who care about the ease of use of the fireplace. Hexagonal chamber and excellent combustion parameters are the most important advantages of this model.



TECHNICAL DATA

► General

Rated output (kW)	10
Heating power range (kW)	5.0 - 12.5
Heating efficiency (%)	80
Exhaust gas temperature (°C)	255
Material	steel
Fuel type	seasoned hardwood (moisture ≤20%)
Max length of logs (cm)	35
Min outlet grids active field (cm ²)	≥900
Min inlet grids active field (cm ²)	≥700
Glazing type	flat

► Efektywność Energetyczna

Energy class	A
Energy efficiency index (EEI)	105.4
CO emissions (at 13% O ₂)	0.1

► Physical parameters

Weight (kg)	219
Width (cm)	86.7
Height (cm)	130.7
Depth (cm)	47.8
Exhaust outlet diameter (mm)	200

► Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

2) ≤ given in %

Dust emission (mg/Nm ³)	32
--	-----------

▶ Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

