Steel fireplace LUCY SLIM right 10 kW Ø 160

LUCY/14/SLIM/P/BS EAN: 5901350021231 LUCY/14/SLIM/P/BS/BLACK EAN: 5902539503210

The insert of an interesting shape with side glazing, with a slim combustion chamber, thanks to which it will be perfect for living rooms with a small area and a small demand for heating power. Thanks to the double-sided vision of the fire and the delicate front frame, it perfectly fits into the style of modern interiors.



TECHNICAL DATA

🕨 General

Rated output (kW)	10
Heating power range (kW)	4.0 - 12
Heating efficiency (%)	85
Exhaust gas temperature ([])	172
Material	steel
Fuel type	seasoned hardwood (moisture ≤20%)
Max length of logs (cm)	40
Min outlet grids active field (cm2)	≥700
Min inlet grids active field (cm2)	≥500
Glazing type	corner

Physical parameters

Weight (kg)	199
Width (cm)	93.1
Height (cm)	128.2
Depth (cm)	41.5
Exhaust outlet diameter (mm)	160

Efektywność Energetyczna

Energy class	A+
Energy efficiency index (EEI)	111.9
CO emissions (at 13% O	0.09

Certyfikaty/Zgodność

Certifications /	Compliance with
Compliance	BIMSCHV 2, Designed
	for recuperation, Meets
	the criteria of eco
	-project



2) \leq given in %

Dust emission (mg/Nm3) 19

Equipment

Equipment

Air intake, Ashpan, Decorative glass glass, Loading the combustion chamber







