

Steel fireplace MBO left 15 kW Ø 200 Lift-up Bent glass

MBO/L/BS/G/SG EAN: 5901350032237

MBO/L/BS/G/SG/BLACK EAN: 5901350032244

BGN 7229

Exceptional care to every detail, excellent technical parameters, precision this are the characteristics of this line of fireplaces.



TECHNICAL DATA

► General

Rated output (kW) **15**

Heating power range (kW) **7.0 - 19**

Heating efficiency (%) **83**

Exhaust gas temperature (°C) **240**

Material **steel**

Fuel type **seasoned hardwood (moisture ≤20%)**

Max length of logs (cm) **50**

Min outlet grids active field (cm²) **≥900**

Min inlet grids active field (cm²) **≥700**

Glazing type **corner**

► Physical parameters

Weight (kg) **301**

Width (cm) **96.7**

Height (cm) **144**

Depth (cm) **59.1**

Exhaust outlet diameter (mm) **200**

► Efektywność Energetyczna

Energy class **A+**

Energy efficiency index (EEI) **109.3**

CO emissions (at 13% O ₂) **0.09**

► Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project


2) ≤ given in %

Dust emission (mg/Nm ³)	30
--	-----------

► Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**



MBO/L/BS/G/SG