

# Water heating fireplace MBO 15 kW Ø 200 lift-up

MBO/PW/15/G/W EAN: 5901350032848

MBO/PW/15/G/W/BLACK EAN: 5901350032879

## BGN 6289

Fireplace insert with water system adapted for intensive burning. Unique care for details, great technical parameters and precision of execution, these kind of features characterize this line of fireplaces.



### TECHNICAL DATA

#### ► General

Rated output (kW)	<b>15</b>
Heating power range (kW)	<b>6.0 - 18</b>
Average power from water (kW)	<b>8</b>
Heating efficiency (%)	<b>83</b>
Max working pressure (bar)	<b>2</b>
Material	<b>steel</b>
Exhaust gas temperature (°C)	<b>210</b>
Max length of logs (cm)	<b>50</b>
Water capacity (l)	<b>42</b>

#### ► Efektywność Energetyczna

Energy class	<b>A+</b>
CO emissions (at 13% O <sub>2</sub> ) ≤ given in %	<b>0.1</b>
Dust emission (mg/Nm <sup>3</sup> )	<b>7</b>
Energy efficiency index	<b>109.3</b>

#### ► Physical parameters

Weight (kg)	<b>406</b>
Width (cm)	<b>96.5</b>
Height (cm)	<b>136.9</b>
Depth (cm)	<b>53.7</b>
Exhaust outlet diameter (mm)	<b>200</b>

#### ► Certyfikaty/Zgodność

Certifications / Compliance

**Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project**

(EEI)

## ► Equipment

Equipment

**Air intake, Decorative  
glass glass, Loading the  
combustion chamber**

