

Water heating fireplace MBO right 15 kW Ø 200

MBO/PW/15/P/BS/W EAN: 5901350032930

MBO/PW/15/P/BS/W/BLACK EAN: 5901350032961

BGN 6329

The double glass inserts of the MBO PW line are an economical and ecological solution with a water-based unit, which does not differ from a typical air insert. Thanks to the unusual vision of the fire and the delicate frame, it perfectly fits into the design of modern interiors.



TECHNICAL DATA

General

Rated output (kW)	15
Heating power range (kW)	6.0 - 18
Average power from water (kW)	8
Heating efficiency (%)	83
Max working pressure (bar)	2
Material	steel
Exhaust gas temperature (°C)	210
Max length of logs (cm)	50
Water capacity (l)	42

Efektywność Energetyczna

Energy class	A+
CO emissions (at 13% O ₂) ≤ given in %	0.1
Dust emission (mg/Nm ³)	7
Energy efficiency index	109.3

Physical parameters

Weight (kg)	271
Width (cm)	91
Height (cm)	134
Depth (cm)	57.5
Exhaust outlet diameter (mm)	200

Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

(EEI)

► Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

