

Water heating fireplace MBO 15 kW Ø 200

MBO/PW/15/W EAN: 5901350033029

BGN 5339

Fireplace insert with water system adapted for intensive burning. Unique care for details, great technical parameters and precision of execution, these kind of features characterize this line of fireplaces.



TECHNICAL DATA

► General

Rated output (kW)	15
Heating power range (kW)	6.0 - 18
Average power from water (kW)	8
Heating efficiency (%)	83
Max working pressure (bar)	2
Material	steel
Exhaust gas temperature (°C)	210
Max length of logs (cm)	50
Water capacity (l)	42

► Efektywność Energetyczna

Energy class	A+
CO emissions (at 13% O ₂) ≤ given in %	0.1
Dust emission (mg/Nm ³)	7
Energy efficiency index	109.3

► Physical parameters

Weight (kg)	306
Width (cm)	83
Height (cm)	133.5
Depth (cm)	47.9
Exhaust outlet diameter (mm)	200

► Certyfikaty/Zgodność

Certifications / Compliance

Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project

(EEI)

► Equipment

Equipment

**Air intake, Decorative
glass glass, Loading the
combustion chamber**

