

# Steel fireplace NBC 500/500 8 kW Ø 200 Lift-up

NBC/500/500 EAN: 5901350034330

NBC/500/500/BLACK EAN: 5901350034347

**BGN 6969**

Three-side glazing, great technical parameters and precision of execution, these kind of features characterize this line of fireplaces.



## TECHNICAL DATA

### General

Rated output (kW) **8**

Heating power range (kW) **3.5 - 10**

Heating efficiency (%) **83**

Exhaust gas temperature (°C) **198**

Material **steel**

Fuel type **seasoned hardwood (moisture ≤20%)**

Max length of logs (cm) **40**

Min outlet grids active field (cm<sup>2</sup>) **≥700**

Min inlet grids active field (cm<sup>2</sup>) **≥500**

Glazing type **corner**

### Physical parameters

Weight (kg) **238**

Width (cm) **57.6**

Height (cm) **147**

Depth (cm) **71.9**

Exhaust outlet diameter (mm) **200**

### Efektywność Energetyczna

Energy class **A+**

Energy efficiency index (EEI) **111.4**

CO emissions (at 13% O) **0.09**

### Certyfikaty/Zgodność

Certifications / Compliance

**Compliance with BIMSCHV 2, Designed for recuperation, KRATKI PRO, Meets the criteria of eco -project**

2) ≤ given in %

|  |           |
|--|-----------|
| Dust emission<br>(mg/Nm <sup>3</sup> ) | <b>38</b> |
|--|-----------|

## ► Equipment

Equipment

**Air intake, Ashpan,  
Decorative glass glass,  
Loading the combustion  
chamber**

